

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,660	.02/13/2004	Achim Reidelsturz	47092.00076	5637
32294 SOUIRE, SAN	32294 7590 10/09/2007 SQUIRE, SANDERS & DEMPSEY L.L.P.		EXAMINER	
14TH FLOOR 8000 TOWERS CRESCENT			HERRERA, DIEGO D	
TYSONS CORNER, VA 22182			ART UNIT	PAPER NUMBER
			. 2617	
			MAIL DATE	DELIVERY MODE
			10/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/777,660	REIDELSTURZ ET AL.		
Office Action Summary	Examiner	Art Unit		
	Diego Herrera	2617		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION B6(a). In no event, however, may a reply be time rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>13 Fe</u> This action is FINAL . 2b) ☑ This Since this application is in condition for alloware closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) Claim(s) 1-55 is/are pending in the application. 4a) Of the above claim(s) 47-49 and 51 is/are w 5) Claim(s) is/are allowed. 6) Claim(s) 1-46, 50, and 52-55 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access	rithdrawn from consideration. relection requirement.	Examiner.		
Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Explanation is objected to by the Explanation is objected.	drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite		

Art Unit: 2617

DETAILED ACTION

Response to Amendment

Examiner notes claims 1, 14, 20, 41, 45, 46, 50, and 52-55 have been amended and claims 47-49 and 51 are cancelled without prejudice or disclaimer.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 50 and 52 are rejected under 35 U.S.C. 102(b) as being anticipated by Boda et al. (US 20030114145).

Regarding claims 1, 50 and 52. Boda et al. teaches a cellular receiver device (fig. 1, 139, 141, Broadcast receiver and cellular transceiver), comprising:

a cellular receiver configured to enable receipt of data from a cellular network domain (fig. 1, 139, cellular transceiver); and

a radio broadcast access unit configured to provide conditional access to a digital radio broadcast data channel to enable receipt of said data <u>from said data source</u> via said digital radio broadcast data channel, <u>so that data can be received outside the coverage of said cellular network domain using said broadcast channel and a cellular channel in an alternative way. (paragraph [0014], [0016], [0019], Boda et al. teaches the ability to call in though broadcast access and fig. 1 elements 139 and 141 show mobile unit having the ability to communicate through a cellular transceiver and a broadcast</u>

receiver, hence, the cited reference meets the apparatus limitations of a radio broadcast access unit)

Consider claim 2. Boda et al. discloses a receiver device according to claim 1, wherein said radio broadcast access unit comprises at least one of a ciphering function and an access function for realizing said conditional access (paragraph [0026], Boda et al. teaches verifying authorization of access communication with the broadcast media).

Consider claim 3. Boda et al. discloses a receiver device according to claim 2, wherein said at least one of said ciphering and said access function is based on security parameters (paragraph [0021], Boda et al. teaches mobile device ID and current radio channel and other information and verified to authorized communication).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.

- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 4-55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boda et al. (US 20030114145), and in view of Fisherman et al. (US 20020103935). Consider claim 4. Boda et al. and Fishman et al. discloses receiver device according claim 1, wherein said radio broadcast access unit is configured to receive message objects belonging to a predetermined application identification which indicates said data (paragraph [0048]-[0052]; Fishman et al. teaches mobile device receiving information encrypted to a specific device to one or more operating characteristics).

Consider claim 5. Boda et al. and Fishman et al. discloses a receiver device according to claim 4, wherein said radio broadcast access unit is configured to extract an unencrypted mobile subscriber identity from a received message object and to compare

the unencrypted mobile subscriber identity with a mobile subscriber identity of said radio

Page 5

broadcast access unit (paragraph [0030], Boda et al. teaches information obtained from

mobile subscriber).

Consider claim 6. Boda et al. and Fishman et al. discloses a receiver device according

to claim 5, wherein said radio broadcast access unit is configured to extract and decrypt

said received message object in response to a comparison result (paragraph [0035]-

[0041], [0051]-[0052]; Fishman teaches subscribers check of ID against list before

accessing information from server).

Consider claim 10. Boda et al. and Fishman et al. disclose a receiver device according

to claim 4, wherein said message object is one of a Short Message Service message

and a Multimedia Message Service message (paragraph [0049], Fishman et al. teaches

use of SMS and MMS depending on devices request).

Consider claim 15. Boda et al. and Fishman et al. disclose a receiver device according

to claim 12, further comprising:

a register configured to store said obtained security parameters (fig. 3, paragraph

[0016], [0040]-[0041], Fishman et al. teaches storage space available also information

for devices security parameters as contained in the list mentioned).

Art Unit: 2617

Consider claim 16. Boda et al. and Fishman et al. disclose a receiver device according to claim 12, wherein said client is configured to use initial security parameters for authentication during a connection setup (paragraph [0040]-[0041], Fishman et al. teaches subscribers check of ID against list before accessing information from server).

Consider claim 19. Boda et al. and Fishman et al. disclose a receiver device according to claim 1, wherein said radio broadcast access unit comprises a service client configured to enable access to at least one of IP services and email services via said radio broadcast data channel (fig. 2; paragraph [0014]-[0016], [0033]-[0035]).

Consider claims 20 and 53. Boda et al. and Fishman et al. disclose a server device (fig. 1, Boda et al. teaches call server 101), comprising:

a gateway configured to receive data from an external data source and to map a

destination address of received data to a mobile subscriber identity (fig. 2, 250, Fishman

et al. teaches gateway between mobile and server); and

an adder configured to add said mobile subscriber identity to said received data (fig. 2,

250, 274, 276, 278, paragraph [0035]-[0041], Fishman et al. discusses gateway means

and function for adding mobile subscribers ID to corresponding data and transform),

and to put said received data with said mobile subscriber identity to a data stream to be

broadcast via a digital radio broadcast channel (fig. 2, element 250, paragraph [0035]
[0041] and [0050]-[0051], Fishman et al. teaches customization tables for clients and

their corresponding information request to be transmitted); so that data can be received

outside the coverage of a cellular network domain using said broadcast channel and a cellular channel in an alternative way.

Consider claim 22. Boda et al. and Fishman et al. disclose a server device according to claim 20, wherein said gateway is configured to encrypt said received data using security parameters (paragraph [0040]-[0041], Fishman et al. teaches subscribers check of ID against list before accessing information from server).

Consider claim 24. Boda et al. and Fishman et al. disclose a server device according to claim 23, wherein said server device is configured to assign a public user address in response to said registration request (paragraph [0040]-[0041], Fishman et al. teaches subscribers check of ID against list before accessing information from server).

Consider claim 25. Boda et al. and Fishman et al. disclose a server device according to claim 24, wherein said public user address comprises one of an IP address and an email address (paragraph [0035]-[0038]).

Consider claim 26. Boda et al. and Fishman et al. disclose a server device according to claim 24, further comprising:

a storing unit configured to store a table linking an assigned public user address to said assigned mobile subscriber identity (paragraph [0040]-[0041], Fishman et al. teaches subscribers check of ID against list before accessing information from server).

Consider claim 28. Boda et al. and Fishman et al. disclose a server device according to claim 20, wherein said received data comprise an email content, wherein said adder is configured to encapsulate said received email content into a radio broadcast packet, and wherein a message identity is added to a header of said radio broadcast packet (paragraph [0035]-[0038]).

Consider claim 29. Boda et al. and Fishman et al. disclose a server device according to claim 20, wherein said received data comprise an IP packet, wherein said adder is configured to encapsulate said received IP packet into a radio broadcast packet, and wherein a message identity is added to a header of said radio broadcast packet (paragraph [0035]-[0038]).

Consider claim 31. Boda et al. and Fishman et al. disclose a server device according to claim 20, wherein said gateway is configured to reject said received data, if a predetermined maximum data size is exceeded (paragraph [0039]).

Consider claim 35. Boda et al. and Fishman et al. disclose a server device according to claim 33, wherein said security parameters comprise at least one of a mobile subscriber identity and a ciphering key (paragraph [0040]-[0041], Fishman et al. teaches subscribers check of ID against list before accessing information from server).

Art Unit: 2617

Consider claim 36. Boda et al. and Fishman et al. disclose a server device according to claim 33, further comprising:

a security database configured to store security parameters (fig. 3, paragraph [0016], [0040]-[0041], Fishman et al. teaches storage space available also information for devices security parameters as contained in the list mentioned).

Consider claim 38. Boda et al. and Fishman et al. disclose a server device according to claim 37, wherein authentication for connection setup to said security server means is based on said initial security parameters (paragraph [0037]-[0039], [0046]-[0048]).

Regarding claims 41 and 54. Boda et al. and Fishman et al. disclose a gateway device configured to provide a connection between a cellular network and a digital radio broadcast domain (fig. 2, 250 gateway, between the server 210, and mobile devices 274, 276, and 278, Fishman et al. teaches gateway between the mobile devices and server), nevertheless, Fishman et al. does not teach gateway being able to configure between a cellular network and a digital radio broadcast domain, however, Boda et al. does teach such limitation (fig. 1, paragraph [0016], Boda et al. teaches wireless communication, figure shows broadcast system) for the reasons to communicate information that of radio/TV broadcasting type, configured to encrypt data received from said cellular network to be forwarded to a mobile device (paragraph [0043], Fishman et al. teaches encryption methods for transmitting information to mobiles), and configured to forward said encrypted data to said digital radio broadcast domain based on a

Art Unit: 2617

conditional access scheme, so that data can be received outside the coverage of said cellular network domain using a broadcast channel and a cellular channel in an alternative way.

Consider claim 44. Boda et al. and Fishman et al. disclose a gateway device according to claim 43, wherein said gateway device is configured to detect, based on a subscriber database query, whether said mobile device is in the coverage area (paragraph [0040]-[0041], Fishman et al. teaches subscribers check of ID against list before accessing information from server).

Regarding claims 45 and 55. Boda et al. and Fishman et al. disclose a system, comprising: a cellular receiver device configured to receive data from a data source (fig. 1, 141), said cellular receiving device comprising a cellular receiver configured to enable receipt of said data from said data source via a cellular network domain (fig. 1, 141, 139), and a radio broadcast access unit configured to provide conditional access to a digital radio broadcast data channel to enable receipt of said data from said data source via said digital radio broadcast data channel (paragraph [0016], fig. 1, 101, 121, 125, 107);

a server device configured to provide a data service to a mobile device (fig. 1, 101, call server), said server device comprising a gateway configured to receive data from an said data source and for mapping a destination address of received data to a mobile subscriber identity, and an adder configured to add said mobile subscriber identity to

Art Unit: 2617

Page 11

a data stream to be broadcast via a said digital radio broadcast channel; and

a gateway device configured to provide a connection between a cellular network and a

said received data, and to put said received data with said mobile subscriber identity to

digital radio broadcast domain (fig. 2, 250 gateway, between the server 210, and mobile

devices 274, 276, and 278, Fishman et al. teaches gateway between the mobile devices

and server), nevertheless, Fishman et al. does not teach gateway being able to

configure between a cellular network and a digital radio broadcast domain, however,

Boda et al. does teach such limitation (fig. 1, paragraph [0016], Boda et al. teaches

wireless communication, figure shows broadcast system) for the reasons to

communicate information that of radio/TV broadcasting type, configured to encrypt data

received from said cellular network to be forwarded to a mobile device (paragraph

[0043], Fishman et al. teaches encryption methods for transmitting information to

mobiles), and configured to forward said encrypted data to said digital radio broadcast

domain based on a conditional access scheme, so that data can be received outside

the coverage of said cellular network domain using a broadcast channel and a cellular

channel in an alternative way.

Claims 47-49. (Cancelled)

Claim 51. (Cancelled)

Art Unit: 2617

Claims 7-9, 11-14, 17-18, 21,23, 27, 30, 32-34, 37, & 39-40 rejected under 35 U.S.C.

103(a) as being unpatentable over Boda et al., Fishman et al. (US patent publication

20020103935 A1), and Further in view of Mulham (EP 1067741 A1).

Consider claims 7-9, 11-14, 17-18, 21, 23, 27, 30, 32-34, 37, & 39-40 and as applied to claims 1, 3, 6, & 12 above, Boda et al. and Fishman et al. discloses wherein decryption of said received message, however, Fishman et al. does not discloses that wherein decryption of said received message is based on latest valid security parameters allocated to said mobile subscriber identity.

Nevertheless, Mulham teaches wherein decryption of said received message is based on latest valid security parameters allocated to said mobile subscriber identity (paragraphs [0071]-[0088]).

Therefore, it would have being obvious to a person of ordinary skill at the time the invention was made to modify the invention of Boda et al. and Fishman et al. to specifically include wherein decryption of said received message is based on latest valid security parameters allocated to said mobile subscriber identity as taught by Mulham for the purposes of being more secure.

Claims 42, 43, and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boda et al., Fishman et al. (US patent publication 20020103935 A1), and further in view of Risto (EP 0804012 A2).

Consider claims 42, 43, and 46, and as applied to claims 41 above, Fishman et al. does not discloses wherein said conditional access scheme defines a predetermined offline time during which said mobile device has not been in a coverage area of said cellular network, and wherein data forwarding is started after expiry of said offline time. However, Risto discloses wherein said conditional access scheme defines a predetermined offline time during which said mobile device has not been in a coverage area of said cellular network, and wherein data forwarding is started after expiry of said offline time (col. 6 lines: 31-54, col. 7 line: 31--col. 8 lines: 3). Therefore, it would have been obvious to a person of ordinary skill in the art at the time

the invention was made to modify the invention of Boda et al. and Fishman et al. to specifically include wherein said conditional access scheme defines a predetermined offline time during which said mobile device has not been in a coverage area of said cellular network, and wherein data forwarding is started after expiry of said offline time as taught by Risto for the purpose of being more effective.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Diego Herrera whose telephone number is (571) 272-0907. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester Kincaid can be reached on (571) 272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/777,660 Page 14

Art Unit: 2617

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Diego Herrera Patent Examiner

> LESTER G. KINCAID SUPERVISORY PRIMARY EXAMINER